



- REFERENCE NOTES:
- ① CONSTRUCT CATCH BASIN PER CITY STANDARD PLATE NO. 2500.
 - ② SALVAGE EXISTING CASTING AND COVER AND REMOVE RINGS. ADD 1 FOOT 48 INCH RISER SECTION AND INSTALL NEW RINGS AND SALVAGED CASTING. ALL WORK SHALL BE INCIDENTAL TO ADJUST FRAME AND RING CASTING.
 - ③ SALVAGE CASTING AND REMOVE RINGS. INSTALL NEW RINGS AND SALVAGED CASTING. ALL WORK SHALL BE INCIDENTAL TO ADJUST FRAME AND RING CASTING. PROVIDE CHIMNEY SEAL PER CITY STANDARD PLATE NO. 2502.
 - ④ CONSTRUCT CATCH BASIN PER CITY STANDARD PLATE NO. 2502.

DATE	REVISION
11/28/17	PLAN REVISIONS PER CITY REVIEW
2/9/18	PLAN REVISIONS
3/19/18	PLAN REVISIONS

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

Travis J. Jochum
 Travis J. JOCHUM, PE
 Date 7/31/17 Lic. No. 23461

DESIGNED BY: CJJ
 DRAWN BY: MSS
 CHECKED BY: TAE



HILLSIDE ESTATES ELEVENTH ADDITION

STREET AND STORM SEWER
 195TH AVENUE NW
 CITY OF ELK RIVER, MINNESOTA

SHEET 16 OF 22 SHEETS

Mar 19, 2018 - 12:00pm K:\PRIVATE\2135.15\ENGINEERING\2135.15_PP_195TH ROAD.dwg