



Comments
P114, P113, P112, P111, P110

Generated on Wednesday, 12/6/2023 at 09:43 AM by the PipeTech® TV inspection system.




248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



MH - Manhole @ 0.0 ft.




248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



IB - Begin Inspection @ 6.0 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 6.5 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 10.3 ft.




248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 59.9 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 85.6 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



MH - Manhole @ 110.8 ft.




248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 128.0 ft.




248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 197.4 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 282.8 ft.




248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

#### Comments

P114, P113, P112, P111, P110



MH - Manhole @ 349.1 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 430.6 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



MH - Manhole @ 487.9 ft.



248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 537.0 ft.





248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 561.5 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



SC - Service Connection @ 622.9 ft.



248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b>	<b>Pipe Number</b>	<b>Upstream MH</b>	<b>Downstream MH</b>	<b>Date</b>			
City of Elk River	P114	6	7	06-Dec-2023			
<b>Surveyor</b>	<b>Street</b>	<b>City</b>	<b>Time</b>				
Andy and Tyler	196th Ave. NW	Elk River	8:54 AM				
<b>Size</b>	<b>Material</b>	<b>Sewer Use</b>	<b>Purpose</b>	<b>Length</b>	<b>(TV'd)</b>	<b>Pre-Clean</b>	<b>Weather</b>
8	PVC	Sanitary	Annual Review	114.069	635.6	No Pre-Cleaning	Dry

**Comments**

P114, P113, P112, P111, P110



MH - Manhole @ 635.6 ft.






248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b> City of Elk River	<b>Pipe Number</b> P114	<b>Upstream MH</b> 6	<b>Downstream MH</b> 7	<b>Date</b> 06-Dec-2023
<b>Surveyor</b> Andy and Tyler	<b>Street</b> 196th Ave. NW			<b>City</b> Elk River
<b>Size</b> 8	<b>Material</b> PVC	<b>Sewer Use</b> Sanitary	<b>Purpose</b> Annual Review	<b>Length</b> 114.069
			<b>(TV'd)</b> 635.6	<b>Pre-Clean</b> No Pre-Cleaning
				<b>Weather</b> Dry

**Comments**

P114, P113, P112, P111, P110



IE - End Inspection @ 635.6 ft.





248 Railroad Drive  
Elk River, MN 55330  
Phone: 763-635-1170

<b>Owner</b> City of Elk River	<b>Pipe Number</b> P114	<b>Upstream MH</b> 6	<b>Downstream MH</b> 7	<b>Date</b> 06-Dec-2023			
<b>Surveyor</b> Andy and Tyler	<b>Street</b> 196th Ave. NW		<b>City</b> Elk River	<b>Time</b> 8:54 AM			
<b>Size</b> 8	<b>Material</b> PVC	<b>Sewer Use</b> Sanitary	<b>Purpose</b> Annual Review	<b>Length</b> 114.069	<b>(TV'd)</b> 635.6	<b>Pre-Clean</b> No Pre-Cleaning	<b>Weather</b> Dry

#### Comments

P114, P113, P112, P111, P110

